



# Installation Guide

## Wall-Mount Lavatories

K-17156



K-17157



X product numbers are for Australia and  
New Zealand (i.e. K-12345A)

THE BOLD LOOK  
OF **KOHLER**®


## Tools and Materials



Pencil



Drill




Levels



Square



Tape Measure




Socket Wrench with 8" Extension

## Thank You For Choosing Kohler Company

We appreciate your commitment to Kohler quality. Please take a few minutes to review this manual before you start installation. If you encounter any installation or performance problems, please don't hesitate to contact us. Our phone numbers are listed on the back cover. Thanks again for choosing Kohler Company.


## Before You Begin

- Observe all local plumbing and building codes.
- Prior to installation, unpack the new lavatory and inspect it for damage. Return the lavatory to its protective carton until you are ready to install it.
- Inspect the drain and supply tubing. Replace if necessary.
- These instructions are for installing the lavatory to wood frame construction. For other installations, supply suitable bracing and fastening devices of sufficient size and strength.
- The walls and floor must be square, plumb, and level.
- If possible, assemble the faucet and drain to the lavatory before installing the lavatory.



## 1. Preparation

- Install the water supplies and drain piping according to the roughing-in information.
- Install sufficient backing behind the finished wall to provide a secure material for the anchoring devices.
- Use a pencil to mark anchoring hole locations as shown.



## 2. Install the Lavatory

- Install the faucet and drain to the lavatory according to the manufacturer's instructions.
- Drill mounting holes for the 3/8" (10 mm.) stud screws (provided) at the marked locations on the wall.



**CAUTION: Risk of product damage.** Do not overtighten the hardware. Overtightening may damage the product.

- Position the lavatory on the stud screws.
- Hand tighten only at this time.
- Verify that the lavatory is level. Adjust if needed.
- Carefully tighten the nuts until the lavatory is secure to the wall.
- Connect and tighten the trap to the drain, and complete the water supply connections to the faucet according to the instructions packed with the faucet.
- Run water into the lavatory and check for leaks.
- Clean up with a non-abrasive cleaner.







**Australia: 1300-362-284**  
**New Zealand: 09-980-6888, 0-800-100-382**

**[kohler.com](http://kohler.com)**

THE BOLD LOOK  
OF **KOHLER**®

©2006 Kohler Co.

1069912-A2-A